Journal homepage: https://pcijournal.org/index.php/jmscowa



Journal of Mathematics and Scientific Computing with Applications



PLANNING OF RAW MATERIAL INVENTORY TO MAKE TOFU METHOD WITH MATERIAL REQUIRETMENS PLANNING (MRP)

Damayanti¹, Rina Filia Sari², Rima Aprilia³

Department of Mathematics, Universitas Islam Negeri Sumatera Utara, Medan, Indonesia

Article Info Article history:

ABSTRACT

| • | |
|-------------------------|--|
| Received April 11, 2021 | |
| Revised May 21, 2021 | |
| Accepted June 23, 2021 | |
| | |

Keywords:

UD.Ai Kampung Bilah Tofu Factory, Forecasting, MRP, *Lot Sizing*

UD. Ai Kampung Bilah Tofu Factory, Labuhan Batu Regency is an industry that is engaged in the processing of Tofu. The purpose of this study is to determine the amount of tofu production from forecasting the number of requests for the previous period. Problem with UD. The aim of the Kampung Bilah Tofu Factory is that it has not implemented rules in controlling the supply of raw materials. In the production process, there are often obstacles, namely the use of raw materials and orders that are not appropriate. Optimum planning and inventory of material requirements is carried out using the Material Requirement Planning method. MRP is a method of planning and scheduling better inventory on a product that is produced. In this study the Material Requirement Planning method, the lot sizing technique used is Lot For Lot, Economic Order Quantity, Priode Order Quantity. Based on the calculation results, Material Requirement Planning using the lot sizing technique, namely Lot For Lot, produces a total cost of Rp. 2,640,000 minimum orders for raw materials.

This is an open access article under the <u>CC BY-SA</u> license.



Corresponding Author:

Damayanti, Department of Mathematics, Universitas Islam Negeri Sumatera Utara, Medan, Indonesia Email: <u>damayanti1898@gmail.com</u>

1. INTRODUCTION

In the development of the industrial world, every company competes with each other to add and retain consumers to increase the company's income. In addition, companies are also required to be able to satisfy consumers by completing requests from consumers in a timely manner. (Supriyanto, S. 2018).

By planning product orders before the production process, what will be done is to provide raw materials that have been adjusted to production capacity in order to meet demand. Some companies that are still developing carry out planning and control not according to existing methods, but only based on experience and previous product requests. Therefore, in the production of raw materials, it becomes an important problem so that proper ordering activities must be used in order to avoid delays in the arrival of raw materials. (Rahayu, CY 2017).

Indonesia is a country with a lot of diversity in the food sector. Many businesses are engaged in the field of food grown very rapidly in Indonesia a One of the most popular food is out. Tofu is known to the public as a daily food which is generally very popular and has high digestibility and is often found in stalls to restaurants with very large commodity developments and more economical prices, so tofu is very popular with people in Indonesia. UD. Ai Kampung Bilah Tofu Factory is an industrial business engaged in the production of making raw tofu which is located in Kampung Bila, Bilah downstream District, Labuhan Batu. This company has been running for more than 6 years with the processed tofu which is quite well known in the Bilah Hilir area. The main raw material for making tofu is soybeans and other supporting

materials. The problem in the tofu factory that will be investigated by the author is about planning the supply of raw materials for tofu products. Based on interviews conducted with the owner of UD. Ai Kampung Bilah Tofu Factory while monitoring the course of production activities, it is known that in applying production techniques to UD. Ai Kampung Bar's Tofu Factory found a problem regarding the supply of raw materials. One of the obstacles in the production system is ordering raw materials suddenly because they do not anticipate increasing demand.

2. RESEARCH METHODE

a. Data collection

Researchers record all data objectively and as it is in accordance with the results of observations, interviews and documents (*schedule*) from the field.

- b. Calculate the forecast demand for raw materials for the next 1 year by comparing 3 forecasting methods, namely:
 - 1. Average(Simple Average)
 - The average method simply calculates the mean of the available data.
 - 2. *Single Exponential Smoothing* The *exponential smoothing* equation *is* calculated based on the forecasting results plus the forecast for the previous period
 - 3. Moving Average method for a period of 3 months
 - 4. Linear Regression
- c. Calculating order size (*lot size*)
- d. The results of the demand forecasting will then be used as a *Master Production Schedule* at the stage of calculating the *Material Requirement Planning*, which is then in the final stage of this research a *Material Requirement Planning* Table will be made.


3. RESULT AND ANALYSIS

The collection of data taken in this study was obtained by interviewing and recording the results based on the documentation of the **UD** Ai trading business the tofu factory, the tofu processing village later to support data processing based on the results of past requests from customers or consumers.

| Period | Month | Request |
|--------|-----------|---------|
| 1 | September | 127444 |
| 2 | October | 129541 |
| 3 | November | 129611 |
| 4 | December | 132601 |
| 5 | January | 127988 |
| 6 | February | 126452 |
| 7 | March | 130752 |
| 8 | April | 128451 |
| 9 | May | 125148 |
| 10 | June | 124535 |
| 11 | July | 125632 |
| 12 | August | 124876 |
| Total | | 1533031 |

Table 4.1 Demand for Tofu Raw Materials

Data is used as the basis for forecasting demand for soybean raw materials for the period September 2020-August 2021. The demand data above comes from reports on the use of soybean raw material supplies at the UD.Ai Tahu Kampung Bilah Factory.



Picture 4.1 Graph of Tofu Raw Material Demand Data

Based on Figure 4.1 above, the tofu demand data at the UD.Ai Kampung Bilah tofu factory is from September 2019 to August 2020. Based on the data above, it can be seen that in 1 year the lowest demand for tofu was in June 2020, which was 124,535 tofu, and the number of requests for tofu The highest tofu occurred in December 2019 with a total of 132,601 years.

1. FORECASTING

The forecasting method is carried out here for 1 year using the minitab 14.1 software and Microsoft excel. Based on the plot of past demand data obtained from the trading business (UD) the village tofu factory uses three forecasting methods, namely the Simple Average, Moving Average, Single Exponential Smoothing and Linear Regression methods.

a. Simple Average And Moving Range (MR) Forecasting Results

Moving range maps are used to test the stability of the data system due to the effects that affect demand.

| Month | Request | Forecasting | Xi | MR |
|-----------|---------|-------------|-------|-------|
| September | 127444 | | | |
| October | 129541 | 128493 | -1048 | 302 |
| November | 129611 | 128865 | -746 | 2056 |
| December | 132601 | 129799 | -2802 | 4251 |
| January | 127988 | 129437 | 1449 | 1039 |
| February | 126452 | 128940 | 2488 | 4042 |
| March | 130752 | 129198 | -1554 | 2208 |
| April | 128451 | 129105 | 654 | 2863 |
| May | 125148 | 128665 | 3517 | 200 |
| June | 124535 | 128252 | 3717 | 1335 |
| July | 125632 | 128014 | 2382 | 495 |
| August | 124876 | 127753 | 2877 | 8057 |
| Total | 1533031 | 1416521 | 10934 | 26848 |

Table 4.9 Moving Range Calculation Results

Source: primary data processed

$$MSE = \sum \frac{e_1^2}{n} = \sum \frac{(Xi - Fi)^2}{n}$$

$$= \frac{1533031 - 141652^{-2}}{12}$$

$$= \frac{116510^2}{12}$$

$$= \frac{13574580100}{12}$$

$$= 1.131.215.008$$

$$MR = \sum \frac{MR}{n-1}$$

$$= \frac{26848}{12-1}$$

$$= 2.441$$

$$BKA = 2,66 \text{ x MR} = 2,66 (2.441)$$

$$= 6.493,06$$

$$BKB = -2,66 \text{ x MR} = -2,66 (2.441)$$

$$= -6.493,06$$

From the calculation results in Table 4.9 of the moving range above, it can be seen that the error value does not exceed the upper control limit (BKA) and lower control limit (BKB). Means the system is still within the control limits and does not affect the request.

b. Moving Average and Moving Range (MR) Forecasting Results

Moving range maps are used to test the stability of causal system data affecting demand.

| Month | request | Forecasting | Xi | MR |
|----------------|---------|-------------|-------|-------|
| September'19 | 127444 | | | |
| October'19 | 129541 | | | |
| November'19 | 129611 | | | |
| December;19 | 132601 | 128865 | -3736 | |
| January'20 | 127988 | 130584 | 2596 | 6332 |
| February'20 | 126452 | 130067 | 3615 | 1019 |
| March'20 | 130752 | 129014 | -1738 | 5353 |
| April'20 | 128451 | 128397 | -54 | 1684 |
| M ay'20 | 125148 | 128552 | 3404 | 3458 |
| June'20 | 124535 | 128117 | 3582 | 178 |
| july'20 | 125632 | 126045 | 413 | 3169 |
| August'20 | 124876 | 125105 | 229 | 184 |
| total | 1533031 | 1154746 | 8311 | 21377 |

| Table 4.11 Moving Range R | Results |
|---------------------------|---------|
|---------------------------|---------|

Source : Processed Primary Data

MSE
$$=\sum \frac{e_1^2}{n} = \sum \frac{(Xi - Fi)^2}{n} - \frac{1533031 - 1154746^2}{n}$$

12

PLANNING OF RAW MATERIAL INVENTORY TO MAKE TOFU METHOD WITH MATERIAL REQUIRETMENS PLANNING (MRP)

| | $=\frac{378285^2}{12}$ $=\frac{143097271524}{12}$ $=11.924.772,627$ | |
|------------|---|---|
| MR | | $= \sum \frac{MR}{n-1} = \frac{21377}{12-1} = 1.943$ |
| BKA BKB | = 2,66 x MR = - 2,66 x MR | = 2,66 x 1.943 = 5.16,38 $= -2,66 x 1.943 = -5.16,38$ |

From the results of the calculation of the moving range table above, it can be seen that the error value does not exceed the upper control limit (BKA) and lower control limit (BKB). Means the system is still within the control limits and does not affect the request.

c. Single Exponetial Smoothing and Moving Range (MR) forecasting results In Table 4.13 the moving range map is used for testing the stability of the causal system data that affects demand.

| Table | 4.13 Single Exponetial Smoothing Moving Range Table |
|-------|---|
|-------|---|

| Month | Request | Forecast | Xi | MR |
|--------------|---------|-------------|---------|--------|
| September'19 | 127444 | 127444 | 0 | |
| October'19 | 129541 | 127444 | - 2,097 | 2,097 |
| November'19 | 129611 | 127863,4 | -1,748 | 349 |
| December;19 | 132601 | 128212.92 | - 4.388 | 2.640 |
| January'20 | 127988 | 129090,536 | 1.103 | 5.491 |
| February'20 | 126452 | 128870.0288 | 2.418 | 1.315 |
| March'20 | 130752 | 128386.423 | - 2,366 | 4.784 |
| April'20 | 128451 | 128859,5384 | 409 | 2,774 |
| May'20 | 125148 | 128777,8307 | 3,630 | 3.221 |
| June'20 | 124535 | 128051.8646 | 3,517 | 113 |
| july'20 | 125632 | 127348,4917 | 1,716 | 1,800 |
| August'20 | 124876 | 127005,1933 | 2,129 | 413 |
| Total | 1533031 | 1537354,227 | 4.323 | 24,998 |

Source : Processed Primary Data

MSE =
$$\sum \frac{e_1^2}{n} = \sum \frac{(Xi - Fi)^2}{n}$$

= $\frac{1533031 - 15}{12}$
= $\frac{4323^2}{12}$
= $\frac{18.690.287}{12}$
= $1.557.524$
MR
= $\sum \frac{MR}{n-1}$
= $\frac{24998}{12-1}$
= 2273
BKA = 2,66 x MR = 2,66 x 2273 = 6.046,18

BKB = $-2,66 \times MR$ = $-2,66 \times 2273$ = -6.046,18

From the calculation results of the moving range table above, it can be seen that the error value does not exceed the upper control limit (BKA) and lower control limit (BKB). Means the system is still within the control limits and does not affect the request

d. Linear Regression and Moving Range forecasting results Based on forecasting from linear regression on historical data, it can be estimated that the forecasting results from each demand data on existing historical data, and for the next stage is to test using a moving range.

| Month | Request | Forecasting | Xi | MR |
|-----------|---------|-------------|--------|--------|
| September | 127444 | | 127444 | |
| October | 129541 | 128493 | -1048 | 128492 |
| November | 129611 | 128865 | -746 | 302 |
| December | 132601 | 129799 | -2802 | 2056 |
| January | 127988 | 129437 | 1449 | 4251 |
| February | 126452 | 128940 | 2488 | 1039 |
| March | 130752 | 129198 | -1554 | 4042 |
| April | 128451 | 129105 | 654 | 2208 |
| May | 125148 | 128665 | 3517 | 2863 |
| June | 124535 | 128252 | 3717 | 200 |
| July | 125632 | 128014 | 2382 | 1335 |
| August | 124876 | 127753 | 2877 | 495 |
| Total | 1533031 | 1416521 | 138378 | 147283 |

Table 4.15 Linear Regression Forecasting and Moving Range Table

Source : Processed Primary Data

MSE
$$=\sum \frac{e_1^2}{n} = \sum \frac{(Xi - Fi)^2}{n}$$

 $= \frac{1533031 - 1416}{12}^2$
 $= \frac{116510^2}{12}$
 $= \frac{13574580100}{12}$
 $= 1.131.215.008$
MR $= \sum \frac{MR}{n-1}$
 $= \frac{147283}{12-1}$
 $= 13.389$
BKA $= 2,66 \text{ x MR}$ $= 2,66 \text{ x 13389} = 35.614,74$
BKB $= -2,66 \text{ x MR}$ $= -2,66 \text{ x 13389} = -35.614,74$

2. SMALLEST ERROR VALUE COMPARISON RESULTS

Based on the results of the comparison of the smallest MSE error value, MSE identifies a deviation from the accuracy of the forecasted demand data with the actual demand data. To see the results of forecasting the error value, see Appendix D. The following is a comparison of the error calculations of the three forecasting methods, which can be seen in Table 4.16.

| | Simple Average Moving Average Single Exponential Smoothing | | | Linear Regression |
|------|---|-------------|-------------|-------------------|
| MAD | 2.112 | 1,500 | 2.127 | 1,430 |
| MSE | 5,524,985 | 3,507,949 | 6,046.324 | 3,466,999 |
| MAPE | 0.016627178 | 0.011740201 | 0.016644197 | 0.011113277 |

Table 4.16 Results of the Smallest Error Value Comparison

Based on the results from the table seen, the method chosen is linear regression because it has the smallest MSE value compared to the simple average, moving average, and single exponential smoothing, it can also be seen that the smallest MAPE value is the value of the linear regression method.

Calculation of Material Requirements planning (MRP)

The best lot sizing method is a method that meets the criteria by having a minimum total cost in planning raw material inventory. Lot size calculation is a technique that determines the optimal number of orders and determines when is the right time to place an order with a minimum total cost of ordering and storing. The results of the lot sizing calculation on the **MRP** can be seen in the table 4.21.

| | the cost of the | | |
|----------------------------|-----------------|--------------|------------|
| | message | storage cost | total |
| Lot For Lot (Lfl) | 2,640,000 | 0 | 2,640,000 |
| Economic Order | | | |
| Priority(EOQ) | 31,680,000 | 1.262.069 | 32,942,069 |
| Period Order Quantity(POQ) | 2,200,000 | 2,499,088 | 4,699,088 |
| Total | 36.520.000 | 3,761,157 | |

 Table 4.21 Comparison of Ordering Costs and Savings Costs

Based on the results of processing the overall costs obtained from the three lot size techniques above, it can be seen that Lot For Lot (LFL) produces a total cost of Rp. 2,640,000 with a minimum ordering cost of raw materials and is used as a solution for controlling raw material inventory at UD.Ai Tofu Factory kampung bilah.

3. CONCLUSION

The conclusion is based on the analysis that has been done, the author can draw the conclusion that the ups and downs of sales occur due to demand from consumers. From the results of the calculation of planning data processing for the supply of raw materials for making tofu, it can be concluded that the best forecasting method used to forecast demand for the next 12 months is to use the linear regression method.

To be able to optimize the inventory function, the company must make a plan in the procurement of raw materials from the optimal method based on the total costs incurred in each lotting method, the lot sizing technique used is Lot For Lot by producing the lowest and optimal costs By using the MRP calculation with the lot sizing technique, namely Lot For Lot (LFL) produces a total cost of Rp.2.640.000,-.

Based on the research that has been done using this, it can be seen from the comparison of the smallest values of the MSE, MAD, and MAPE error values from linear regression forecasting calculations. It is concluded that the raw material inventory using the selected forecasting method namely linear regression will be 127753 products in 2021.

REFERENCES

- [1] Alam, W.P. 2019. Perencanaan Persediaan Bahan Baku Wajan Dengan Metode Mrp (*Material Requirement Planning*) Pada Perusahaan Cor Alumunium Bintang Dua Di Kec. Cikoneng Kab. Ciamis. Jurnal Media Teknologi 5(1):41-62
- [2] Anggriana, K. Z. (2015). Analisis Perencanaan dan Pengendalian Persediaan Busbar Berdasarkan Sistem MRP (*Material Requirement Planning*) Di PT. TIS. *Penelitian dan Aplikasi Sistem dan Teknik Industri*, 9(3), 182837.
- [3] Aprilia, R., & Sari, R. F. (2017). Implementation of pagerank algorithm in matlab. Zero: Jurnal Sains, Matematika dan Terapan, 1(1), 46-53.
- [4] Arief, M., & Supriyadi, S. 2017. Analisis Perencanaan Persediaan Batubara FX Dengan Metode Material Requirement Planning. Jurnal Manajemen Industri Dan Logistik, 1(2), 133-139.
- [5] Astana, N. Y., & Nyoman, I. 2007. Perencanaan persediaan bahan baku berdasarkan metode MRP (Material Requirements Planning). Jurnal Ilmiah Teknik Sipil, 11(2), 184-194.
- [6] Brilianti, C. 2011. Sistem Perencanaan Pengadaan Bahan Baku Menggunakan Metode Simple Moving Average Dan Economic Order Quantity (EOQ)(Studi Kasus: Industri Sepatu CV. X) (Doctoral Dissertation, Universitas Widyatama).
- [7]Chandreadevi, A., & Puspitasari N.B. 2016. Penerapan Material Requirement Planning (MRP) dengan Mempertimbangkan Lot Sizing dalam Pengendalian Bahan Baku pada PT Phapros, Tbk. *Performa* (2016), Vol. 15, 77-86.
- [8] Eunike, A. 2018. Perencanaan Produksi dan Pengendalian Persediaan. Universitas Brawijaya Press.
- [9]Firmansyah, F., & Aprilia, R. (2018). Algoritma model penentuan lokasi fasilitas tunggal dengan program dinamik. *Algoritma: jurnal ilmu komputer dan informatika, 2*(1).
- [10] Ginantra, N. L. W. S. R., & Anandita, I. B. G. (2019). Penerapan Metode Single Exponential Smoothing Dalam Peramalan Penjualan Barang. J-SAKTI (Jurnal Sains Komputer dan Informatika), 3(2), 433-441.
- [11] Haibatolah Sadeghi, Ahmad Makui & Mehdi Heydari. 2014. A simulation method for Material requirement planning supply dependent demand and uncertainty lead-time. African Journal of Business Management 8(4).
- [12] Handoko, T, Hani. 1999. Dasar-Dasar Manajemen Produksi dan Operasi, Edisi 7. BPFE: Yogyakarta.
- [13] Sadeghi, H., Makui, A., & Heydari, M. 2014. A simulation method for Material requirement planning supply dependent demand and uncertainty lead-time. *African Journal of Business Management*, 8(4), 127-135
- [14] Herjanto, E. 2015. Manajemen Operas, Edisi Keitga. PT. Grasindo : Jakarta
- [15] Herjanto, E. 1999. Manajemen Produksi dan Operasi, edisi kedua, PT. Grasindo : Jakarta
- [16] Irawan, P. A., & Syaichu, A. 2017. Pengendalian Persediaan Bahan Baku Dengan Metodematerial Requirement Planning (Mrp) Pada Pt. Semen Indonesia (Persero), Tbk. *Jkie (Journal Knowledge Industrial Engineering)*, 4(1).
- [17] Irwansyah, D. E., & Hidayati, R. 2010. Penerapan Material Requirements Planning (MRP) Dalam Perencanaan Persediaan Bahan Baku Jamu Sehat Perkasa Pada PT. NYONYA MENEER Semarang (Doctoral dissertation, Universitas Diponegoro).diakses 14/07/2020
- [18] Khikmawati, E., Anggraini, M., & Anwar, K. 2017. Analisis Perencanaan Biaya Persediaan Produk Semen Melalui Pendekatan Perencanaan Kebutuhan Bahan Baku (Material Requirement Planning). Jurnal Rekayasa, Teknologi, dan Sains, 1(1).
- [19] Klara, A. B. 2019. Pengendalian Persediaan Tepung Terigu Pembuat Wafer Di Pt Xyz Dengan Metode Mrp (Doctoral dissertation, http://unugha.ac. id) diakses 14/07/2020
- [20] Kurnala, K., Kindangen, P., & Pondaag, J. J. 2018. Analisis Pengendalian Persediaan Bahan Baku Bubur Manado (Tinutuan) Guna Meminimalisir Biaya Persediaan Pada Rm. Minahasa Baru Manado. Jurnal EMBA: Jurnal Riset Ekonomi, Manajemen, Bisnis dan Akuntansi, 6(4).
- [21] Limbong, I., Tarore, H., Tjakra, J., & Walangitan, D. R. O. 2013. Manajemen Pengadaan Material Bangunan dengan Menggunakan Metode MRP (Material Requirement Planning) Studi Kasus: Revitalisasi Gedung Kantor BPS Propinsi Sulawesi Utara. *Jurnal Sipil Statik*, 1(6).
- [22] Lizamza, M. R. 2019. Analisis Perencanaan Persediaan Bahan Baku Batu Bata Dengan Metode Material Requirement Planning (MRP) (Studi Kasus UKM Batu Bata Wisnu Dasjak) (Doctoral Dissertation, Universitas Muhammadiyah Palembang.

- [23] Mayasari, R., Hastarina, M., & Apriyani, E. 2019. Analisis Turbidity Terhadap Dosis Koagulan Dengan Metode Regresi Linear (Studikasus Di Pdam Tirta Musi Palembang). Jisi: Jurnal Integrasi Sistem Industri, 6(2), 117-125
- [24] Meilani, Difana, Dkk. 2013 Pengendalian Persediaan Bahan Baku Vulkanisir Ban (Studi Kasus: Pt. Gunung Pulo Sari). Fakultas Teknik, Universitas Andalas : Padang, Diakses 13/07/2020
- [25] Milne, R. J., Mahapatra, S., & Wang, C. T. 2015. Optimizing Planned Lead Times for Enhancing Performance of MRP Systems. *International Journal of Production Economics*, 167(1), 220–231.
- [26] Putri, D. R., Aprilia, R., & Lubis, R. S. (2020). Analysis Of Factors Affecting Production Rice In Langkat Regency With Methods Backward In Multiple Linear Regression Year 2018. *Journal of Mathematics and Scientific Computing With Applications*, 1(1), 23-30.
- [27] Panjaitan, D. J., & Aprilia, R. (2021). Selection of online shopping with the electree method. ZERO: Jurnal Sains, Matematika dan Terapan, 4(2), 54-59.
- [28] Rachman, R. 2018. Penerapan Metode Moving Average Dan Exponential Smoothing Pada Peramalan Produksi Industri Garment. Jurnal Informatika, 3(2), 211-220